



Product Data Sheet

Part # 34001

Throttle-Body & Air-Intake Cleaner

Is a powerful solvent blend that will quickly remove gum, varnish, carbon and other deposits. It can improve engine performance by dissolving those deposits which build up and cause rough idling, hard starting, stalling and poor acceleration. It will clean the throttle valve, throttle body, idle air control valves, PCV valves and other parts of the air induction system that have deposit accumulation. The product will not harm oxygen sensors and catalytic converters. Part #10431 has a 360° spray-anyway valve.

- **Improves engine performance** – dissolves deposits that can cause rough idling, hard starting, stalling and poor acceleration.
- **Cleans and frees engine parts** – helps throttle valves, idle control valves and/or any other parts that have gum and varnish accumulations, to operate more efficiently.
- **Effective** – quickly removes gum, varnish, sludge, carbon and other deposits.
- **Easy to use** – convenient aerosol with 360° spray-anyway valve.
- **Safe to use** – contains no fluorocarbons or chlorinated solvents; will not harm gaskets, oxygen sensors and catalytic converter.
- **Meets low V.O.C. regulations** – The formula meets current V.O.C. regulations set by California Air Resource Board (CARB) and Ozone Transport Commission (OTC).



Application:

Remove air-intake boot. With engine off, spray product down throttle body or carburetor throat onto throttle valve, automatic chokes, linkages, PCV valves and heat risers. Replace air-intake boot.

Specifications:

<u>Test</u>	<u>ASTM Method</u>	<u>Typical Results</u>
Appearance	-	Clear & Bright
Color	-	Colorless
Odor	-	Solvent
Specific Gravity @ 60°F (g/ml)	D1298	0.82
Density, U.S. (lbs/gal) @ 60°F	D1250	6.88
Flash Point (°F) PMCC	D93	Level 3 Aerosol
% VOC	-	~20*
Can Pressure, psi	-	70 - 85

* As of 1/1/09

Packaging: Fill: 4 .5Oz Case Quantity: 24 bottles Case Weight: 12 lbs